

(1) GEN ERAL

- (i) APPLICANT: Friedman, Jeffrey M. Lee, Gwo-Hua Proenca, Ricardo
- (ii) TITLE OF INVENTION: DB, THE RECEPTOR FOR LEPTIN, NUCLEIC ACIDS ENCODING THE RECEPTOR, AND USES THEREOF
- (iii) NUMBER OF SEQUENCES: 56
- (iv) CORRESPONDENCE ADDRESS:
  - (A) ADDRESSEE: David A. Jackson, Esq.
  - (B) STREET: 411 Hackensack Ave, Continental Plaza, 4th Floor
  - (C) CITY: Hackensack
  - (D) STATE: New Jersey
  - (E) COUNTRY: USA
  - (F) ZIP: 07601
- (v) COMPUTER READABLE FORM:
  - (A) MEDIUM TYPE: Floppy disk
  - (B) COMPUTER: IBM PC compatible
  - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
  - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER: US 08/586,594
  - (B) FILING DATE:
  - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Jackson Esq., David A.
  - (B) REGISTRATION NUMBER: 26,742
  - (C) REFERENCE/DOCKET NUMBER: 600-1-162
  - (ix) TELECOMMUNICATION INFORMATION:
    - (A) TELEPHONE: 201-487-5800
    - (B) TELEFAX: 201-343-1684
- (2) INFORMATION FOR SEQ ID NO:1:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 2529 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: double
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: cDNA
  - (iii) HYPOTHETICAL: NO
  - (iv) ANTI-SENSE: NO

RECEIVED JUL 1.7 1998 GROUP 1800

# (vii) IMMEDIATE SOURCE: (B) CLONE: A15 (OB-Ra)

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GGGCTCAGGT CGGCGTCGTA	CCAGCCGCTG	AAGCGGTTCT	CCAGGTTCCA	GGCGCTCTCG	60
CCATGCCGGA TCAGCACCAG	CTTGTAGCTC	GTGCCGAATT	CGGCACGAGG	TTGCTTTGGG	120
AATGAGCAAG GTCAAAACTG	CTCTGCACTC	ACAGACAACA	CTGAAGGGAA	GACACTGGCT	180
TCAGTAGTGA AGGCTTCAGT	TTTTCGCCAG	CTAGGTGTAA	ACTGGGACAT	AGAGTGCTGG	240
ATGAAAGGGG ACTTGACATT	ATTCATCTGT	CATATGGAGC	CATTACCTAA	GAACCCCTTC	300
AAGAATTATG ACTCTAAGGT	CCATCTTTTA	TATGATCTGC	CTGAAGTCAT	AGATGATTCG	360
CCTCTGCCCC CACTGAAAGA	CAGCTTTCAG	ACTGTCCAAT	GCAACTGCAG	TCTTCGGGGA	420
TGTGAATGTC ATGTGCCGGT	ACCCAGAGCC	AAACTCAACT	ACGCTCTTCT	GATGTATTTG	480
GAAATCACAT CTGCCGGTGT	GAGTTTTCAG	TCACCTCTGA	TGTCACTGCA	GCCCATGCTT	540
GTTGTGAAAC CCGATCCACC	CTTAGGTTTG	CATATGGAAG	TCACAGATGA	TGGTAATTTA	600
AAGATTTCTT GGGACAGCCA	AACAATGGCA	CCATTTCCGC	TTCAATATCA	GGTGAAATAT	660
TTAGAGAATT CTACAATTGT	AAGAGAGGCT	GCTGAAATTG	TCTCAGCTAC	ATCTCTGCTG	720
GTAGACAGTG TGCTTCCTGG	ATCTTCATAT	GAGGTCCAGG	TGAGGAGCAA	GAGACTGGAT	780
GGTTCAGGAG TCTGGAGTGA	CTGGAGTTCA	CCTCAAGTCT	TTACCACACA	AGATGTTGTG	840
TATTTCCAC CCAAAATTCT	GACTAGTGTT	GGATCGAATG	CTTCTTTTCA	TTGCATCTAC	900
AAAAACGAAA ACCAGATTAT	CTCCTCAAAA	CAGATAGTTT	GGTGGAGGAA	TCTAGCTGAG	960
AAAATCCCTG AGATACAGTA	CAGCATTGTG	AGTGACCGAG	TTAGCAAAGT	TACCTTCTCC	1020
AACCTGAAAG CCACCAGACC	TCGAGGGAAG	TTTACCTATG	ACGCAGTGTA	CTGCTGCAAT	1080
GAGCAGGCGT GCCATCACCG	CTATGCTGAA	TTATACGTGA	TCGATGTCAA	TATCAATATA	1140
TCATGTGAAA CTGACGGGTA	СТТААСТААА	ATGACTTGCA	GATGGTCACC	CAGCACAATC	1200
CAATCACTAG TGGGAAGCAC	TGTGCAGCTG	AGGTATCACA	GGCGCAGCCT	GTATTGTCCT	1260
GATAGTCCAT CTATTCATCC	TACGTCTGAG	CCCAAAAACT	GCGTCTTACA	GAGAGACGGC	1320
TTTTATGAAT GTGTTTTCCA	GCCAATCTTT	CTATTATCTG	GCTATACAAT	GTGGATCAGG	1380
ATCAACCATT CTTTAGGTTC	ACTTGACTCG	CCACCAACGT	GTGTCCTTCC	TGACTCCGTA	1440
GTAAAACCAC TACCTCCATC	TAACGTAAAA	GCAGAGATTA	CTGTAAACAC	TGGATTATTG	1500
AAAGTATCTT GGGAAAAGCC	AGTCTTTCCG	GAGAATAACC	TTCAATTCCA	GATTCGATAT	1560

GGCTTAAGTG GAAAAGAAAT ACAATGGAAG ACACATGAGG TATTCGATGC AAAGTCAAAG 1620 TCTGCCAGCC TGCTGGTGTC AGACCTCTGT GCAGTCTATG TGGTCCAGGT TCGCTGCCGG 1680 CGGTTGGATG GACTAGGATA TTGGAGTAAT TGGAGCAGTC CAGCCTATAC GCTTGTCATG 1740 GATGTAAAAG TTCCTATGAG AGGGCCTGAA TTTTGGAGAA AAATGGATGG GGACGTTACT 1800 AAAAAGGAGA GAAATGTCAC CTTGCTTTGG AAGCCCCTGA CGAAAAATGA CTCACTGTGT 1860 AGTGTGAGGA GGTACGTGGT GAAGCATCGT ACTGCCCACA ATGGGACGTG GTCAGAAGAT 1920 GTGGGAAATC GGACCAATCT CACTTTCCTG TGGACAGAAC CAGCGCACAC TGTTACAGTT 1980 2040 ATGAGTAAAG TGAGTGCTGT GGAGTCACTC AGTGCTTATC CCCTGAGCAG CAGCTGTGTC 2100 ATCCTTTCCT GGACACTGTC ACCTGATGAT TATAGTCTGT TATATCTGGT TATTGAATGG 2160 AAGATCCTTA ATGAAGATGA TGGAATGAAG TGGCTTAGAA TTCCCTCGAA TGTTAAAAAG 2220 TTTTATATCC ACGATAATTT TATTCCCATC GAGAAATATC AGTTTAGTCT TTACCCAGTA 2280 TTTATGGAAG GAGTTGGAAA ACCAAAGATA ATTAATGGTT TCACCAAAGA TGCTATCGAC 2340 AAGCAGCAGA ATGACGCAGG GCTGTATGTC ATTGTACCCA TAATTATTTC CTCTTGTGTC 2400 CTACTGCTCG GAACACTGTT AATTTCACAC CAGAGAATGA AAAAGTTGTT TTGGGACGAT 2460 GTTCCAAACC CCAAGAATTG TTCCTGGGCA CAAGGACTGA ATTTCCAAAA GAGAACGGAC 2520 ACTCTTTGA 2529

#### (2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 842 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vii) IMMEDIATE SOURCE:
  - (B) CLONE: OB-Ra
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:
- Gly Leu Arg Ser Ala Ser Tyr Gln Pro Leu Lys Arg Phe Ser Arg Phe

15 Gln Ala Leu Ser Pro Cys Arg Ile Ser Thr Ser Leu Xaa Leu Val Pro Asn Ser Ala Arg Gly Cys Phe Gly Asn Glu Gln Gly Gln Asn Cys Ser Ala Leu Thr Asp Asn Thr Glu Gly Lys Thr Leu Ala Ser Val Val Lys 50 Ala Ser Val Phe Arg Gln Leu Gly Val Asn Trp Asp Ile Glu Cys Trp Met Lys Gly Asp Leu Thr Leu Phe Ile Cys His Met Glu Pro Leu Pro 90 Lys Asn Pro Phe Lys Asn Tyr Asp Ser Lys Val His Leu Leu Tyr Asp 100 Leu Pro Glu Val Ile Asp Asp Ser Pro Leu Pro Pro Leu Lys Asp Ser 120 Phe Gln Thr Val Gln Cys Asn Cys Ser Leu Arg Gly Cys Glu Cys His 130 135 Val Pro Val Pro Arg Ala Lys Leu Asn Tyr Ala Leu Leu Met Tyr Leu Glu Ile Thr Ser Ala Gly Val Ser Phe Gln Ser Pro Leu Met Ser Leu Gln Pro Met Leu Val Val Lys Pro Asp Pro Pro Leu Gly Leu His Met 180 185 Glu Val Thr Asp Asp Gly Asn Leu Lys Ile Ser Trp Asp Ser Gln Thr 200 Met Ala Pro Phe Pro Leu Gln Tyr Gln Val Lys Tyr Leu Glu Asn Ser 210 215 220 Thr Ile Val Arg Glu Ala Ala Glu Ile Val Ser Ala Thr Ser Leu Leu 235 240 Val Asp Ser Val Leu Pro Gly Ser Ser Tyr Glu Val Gln Val Arg Ser Lys Arg Leu Asp Gly Ser Gly Val Trp Ser Asp Trp Ser Ser Pro Gln 260 Val Phe Thr Thr Gln Asp Val Val Tyr Phe Pro Pro Lys Ile Leu Thr 280 Ser Val Gly Ser Asn Ala Ser Phe His Cys Ile Tyr Lys Asn Glu Asn 295 Gln Ile Ile Ser Ser Lys Gln Ile Val Trp Trp Arg Asn Leu Ala Glu 305

310

320

Lys Ile Pro Glu Ile Gln Tyr Ser Ile Val Ser Asp Arg Val Ser Lys 325 330 335

Val Thr Phe Ser Asn Leu Lys Ala Thr Arg Pro Arg Gly Lys Phe Thr 340 345 350

Tyr Asp Ala Val Tyr Cys Cys Asn Glu Gln Ala Cys His His Arg Tyr 355 360 365

Ala Glu Leu Tyr Val Ile Asp Val Asn Ile Asn Ile Ser Cys Glu Thr 370 380

Asp Gly Tyr Leu Thr Lys Met Thr Cys Arg Trp Ser Pro Ser Thr Ile 385 390 395 400

Gln Ser Leu Val Gly Ser Thr Val Gln Leu Arg Tyr His Arg Arg Ser 405 410 415

Leu Tyr Cys Pro Asp Ser Pro Ser Ile His Pro Thr Ser Glu Pro Lys 420 425 430

Asn Cys Val Leu Gln Arg Asp Gly Phe Tyr Glu Cys Val Phe Gln Pro 435 440 445

Ile Phe Leu Leu Ser Gly Tyr Thr Met Trp Ile Arg Ile Asn His Ser 450 455 460

Leu Gly Ser Leu Asp Ser Pro Pro Thr Cys Val Leu Pro Asp Ser Val 465 470 475 480

Val Lys Pro Leu Pro Pro Ser Asn Val Lys Ala Glu Ile Thr Val Asn 485 490 495

Thr Gly Leu Leu Lys Val Ser Trp Glu Lys Pro Val Phe Pro Glu Asn 500 505 510

Asn Leu Gln Phe Gln Ile Arg Tyr Gly Leu Ser Gly Lys Glu Ile Gln 515 · 520 525

Trp Lys Thr His Glu Val Phe Asp Ala Lys Ser Lys Ser Ala Ser Leu 530 540

Leu Val Ser Asp Leu Cys Ala Val Tyr Val Val Gln Val Arg Cys Arg 545 550 555 560

Arg Leu Asp Gly Leu Gly Tyr Trp Ser Asn Trp Ser Ser Pro Ala Tyr 565 570 575

Thr Leu Val Met Asp Val Lys Val Pro Met Arg Gly Pro Glu Phe Trp 580 585 590

Arg Lys Met Asp Gly Asp Val Thr Lys Lys Glu Arg Asn Val Thr Leu 595 600 605

Leu Trp Lys Pro Leu Thr Lys Asn Asp Ser Leu Cys Ser Val Arg Arg 610 615 620

Tyr Val Val Lys His Arg Thr Ala His Asn Gly Thr Trp Ser Glu Asp 625 630 635 640

Val Gly Asn Arg Thr Asn Leu Thr Phe Leu Trp Thr Glu Pro Ala His 645 650 655

Thr Val Thr Val Leu Ala Val Asn Ser Leu Gly Ala Ser Leu Val Asn 660 665 670

Phe Asn Leu Thr Phe Ser Trp Pro Met Ser Lys Val Ser Ala Val Glu 675 680 685

Ser Leu Ser Ala Tyr Pro Leu Ser Ser Ser Cys Val Ile Leu Ser Trp 690 695 700

Thr Leu Ser Pro Asp Asp Tyr Ser Leu Leu Tyr Leu Val Ile Glu Trp 705 710 715 720

Lys Ile Leu Asn Glu Asp Asp Gly Met Lys Trp Leu Arg Ile Pro Ser 725 730 . 735

Asn Val Lys Lys Phe Tyr Ile His Asp Asn Phe Ile Pro Ile Glu Lys
740 745 750

Tyr Gln Phe Ser Leu Tyr Pro Val Phe Met Glu Gly Val Gly Lys Pro 755 760 765

Lys Ile Ile Asn Gly Phe Thr Lys Asp Ala Ile Asp Lys Gln Gln Asn 770 775 780

Asp Ala Gly Leu Tyr Val Ile Val Pro Ile Ile Ile Ser Ser Cys Val 785 790 795 800

Leu Leu Gly Thr Leu Leu Ile Ser His Gln Arg Met Lys Lys Leu 805 810 815

Phe Trp Asp Asp Val Pro Asn Pro Lys Asn Cys Ser Trp Ala Gln Gly 820 825 830

Leu Asn Phe Gln Lys Arg Thr Asp Thr Leu 835 840

#### (2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2848 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vii) IMMEDIATE SOURCE:

## (B) CLONE: A40 (OB-Rb)

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CTCATTGAGA	GTGCCAACGG	GAAGGCTTAA	TTAACCTTTG	GAANTGAGTC	CGAAGAGTCT	60
GGAAGTNTGT	AAGATGGAAG	ATACTATACA	AGATACTTCA	GAGCTGTACA	TTCTTCCAGG	120
GATGTAGGCT	AGCAGTTATT	TCATTAGTAT	ATGTCTATTT	TAGAATGGGA	AGAATTAGGA	180
AGATGAATGG	AGCCTGTGTC	TTTCACTACT	CTCCCAGGAG	GTTCCAGAAT	AGCNAAAGTG	240
TCAGCCAGAA	TTCTTGAAGT	CATAGACTGG	AGTTAGAGAT	GAACATAAGC	TCATGTTAAG	300
CCTGGGTTAC	TTCTTATCAT	CCTTAATTTT	GAAAGCTAAG	AGGCCTAAC	CATCAAGAAC	360
GTCCTGGAGG	AAAGAATGTT	TTTAACGCCA	TTATTCAGTC	AAAGAAATTA	AGACTTGAGA	420
GAAATGCTCA	TTTCTTCTCT	CATGATGGCT	CCTTACACCT	TACTTCTACC	GTACGATCCA	480
TGNGGCCCTA	CCCACGCAGG	ATACATGCAT	CTATATGAGA	GTGTCTNCCC	СТТСТААСТС	540
AGAGACTCTT	GTTCTAGTCT	GTGNTATAAA	ATTCAGCTTG	TGGAAGCTTT	CTGAGGGGTT	600
GGCAGCATTC	AATTTTACCT	GCAATAGGTA	AAGGTAATCT	TTTGGGAAGT	GAAGAGTGTT	660
ATTAGACATT	TCAGAAAGAA	CAAACAGGAT	TGGGGCTGCT	ATGTGTTCTA	CACAGGAATC	720
TTCCATAACA	CAGAATAATT	TATGTAGATA	GAGACAAGAT	GGAAATGCCC	AGGGCCCCAA	780
AATAGCCGCT	GTTATTTGTT	AACCTTCAAG	GTTTTCTGTT	TGTTTATCTG	TTTCTTGCGC	840
AGGATCATCT	TCCAAGCACA	TCCTGGGGGA	ACAGTGGCAG	AGTCACTCGA	GTTCATGAAA	900
CTATGGTGAC	ATCTGAGCTT	CCTTGGTTCT	TCACAGAACA	TAAGCAGTTC	CTTTGCTTGC	960
TTGTTAGATG	AGAAAACTTC	CTTGTCAGTC	TGTCTCTACG	ACTAGAATGG	AAAGCCTTAC	1020
TACTTCCTAT	GTATTCTTAA	TATTTCAAAT	GTCCTAATTA	TGTTTGGCTT	CTCTGTCTTT	1080
AAGGGATTTA	GTCTCTGGAT	TTGAAGAAAT	AAATAAATAA	ATAAAGGAAA	ACTAATTTTC	1140
TCGTGCCGGA	TGACTGCTAG	CTGAGCTCAG	GCCTACTGCA	TTCTACATTT	CGACTCTCTC	1200
CCTCTTCCCC	AGTGCTTTAG	CACTGGACTG	GGCAGTNCCT	GGCCTGGTCT	AACTCCTGTT	1260
TCCTGGTGGG	AATGTATAAT	AAGAACTCCA	TGAGTTCTGG	TATAAACACT	GTGGTCTGTG	1320
TGCTAATTAA	ATCTNGTGTT	TCCTACAGCC	CCTGACGAAA	AATGACTCAC	TGTGTAGTGT	1380
GAGGAGGTAC	GTGGTGAAGC	ATCGTACTGC	CCACAATGGG	ACGTGGTCAG	AAGATGTGGG	1440
AAATCGGACC	AATCTCACTT	TCCTGTGGAC	AGAACCAGCG	CACACTGTTA	CAGTTCTGGC	1500
TGTCAATTCC	CTCGGCGCTT	CCCTTGTGAA	TTTTAACCTT	ACCTTCTCAT	GGCCCATGAG	1560

TAAAGTGAGT	GCTGTGGAGT	CACTCAGTGC	TTATCCCCTG	AGCAGCAGCT	GTGTCATCCT	1620
TTCCTGGACA	CTGTCACCTG	ATGATTATAG	TCTGTTATAT	CTGGTTATTG	AATGGAAGAT	1680
CCTTAATGAA	GATGATGGAA	TGAAGTGGCT	TAGAATTCCC	TCGAATGTTA	AAAAGTTTTA	1740
TATCCACGAT	AATTTTATTC	CCATCGAGAA	ATATCAGTTT	AGTCTTTACC	CAGTATTTAT	1800
GGAAGGAGTT	GGAAAACCAA	AGATAATTAA	TGGTTTCACC	AAAGATGCTA	TCGACAAGCA	1860
GCAGAATGAC	GCAGGGCTGT	ATGTCATTGT	ACCCATAATT	ATTTCCTCTT	GTGTCCTACT	1920
GCTCGGAACA	CTGTTAATTT	CACACCAGAG	AATGAAAAAG	TTGTTTTGGG	ACGATGTTCC	1980
AAACCCCAAG	AATTGTTCCT	GGGCACAAGG	ACTGAATTTC	CAAAAGCCTG	AAACATTNGA	2040
GCATCTTTTT	ACCAAGCATG	CAGAATCAGT	GATATTTGGT	CCTCTTCTTC	TGGAGCCTGA	2100
ACCCATTTCA	GAAGAAATCA	GTGTCGATAC	AGCTTGGAAA	AATAAAGATG	AGATGGTCCC	2160
AGCAGCTATG	GTCTCCCTNC	TNNGGACCAC	ACCAGACCCT	GAAAGCAGTT	CTATTTGTNT	2220
TAGTGACCAG	TGTAACAGTG	CTAACTTCTC	TGGGTCTCAG	AGCACCCAGG	TAACCTGTGA	2280
GGATGAGTGT	CAGAGACAAC	CCTCAGTTAA	ATATGCAACT	CTGGTCAGCA	ACGATAAACT	2340
AGTGGAAACT	GATGAAGAGC	AAGGGTTTAT	CCATAGTCCT	GTCAGCAACT	GCATCTCCAG	2400
TAATCATTCC	CCACTGAGGC	AGTCTTTCTC	TAGCAGCTCC	TGGGAGACAG	AGGCCCAGAC	2460
ATTTTTCCTT	TTATCAGACC	AGCAACCCAC	CATGATTTCA	CCACAACTTT	CATTCTCGGG	2520
GTTGGATGAG	CTTTTGGAAC	TGGAGGGAAG	TTTTCCTGAA	GAAAATCACA	GGGAGNAGTC	2580
TGTCTGTTAT	CTAGGAGTCA	CCTCCGTCCN	CAGAAGAGAG	AGTGGTGTGC	TTTTGACTGG	2640
TGAGGCAGGA	ATCCTGTGCA	CATTCCCAGC	CCAGTGTCTG	TTCAGTGACA	TCAGGATCCT	2700
CCAGGAGAGA	TGCTCACACT	TTGTAGAAAA	TAATTTGAGT	TTAGGGACCT	CTGGTGAGAA	2760
CTTTGGTCCT	AACATGCCCC	AATTCCAAAC	CTGTTCCACG	CACAGTCACA	AGATAATGGA	2820
GAATAAGATG	TGTGACTTAA	CTGTGTAA				2848

## (2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 581 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

#### 

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Leu Arg Asp Leu Val Ser Gly Phe Glu Glu Ile Asn Lys Ile Lys Glu 1 5 10 15

Asn Phe Ser Arg Ala Gly Leu Leu Ala Glu Leu Arg Pro Thr Ala Phe 20 25 30

Tyr Ile Ser Thr Leu Ser Leu Phe Pro Ser Ala Leu Ala Leu Asp Trp 35 40 45

Ala Val Pro Gly Leu Val Leu Leu Phe Pro Gly Gly Asn Val Glu Leu 50 55 60

His Glu Phe Trp Tyr Lys His Cys Gly Leu Cys Ala Asn Ile Xaa Cys 65 70 75 80

Phe Leu Gln Pro Leu Thr Lys Asn Asp Ser Leu Cys Ser Val Arg Arg 85 90 95

Tyr Val Val Lys His Arg Thr Ala His Asn Gly Thr Trp Ser Glu Asp 100 105 110

Val Gly Asn Arg Thr Asn Leu Thr Phe Leu Trp Thr Glu Pro Ala His 115 120 125

Thr Val Thr Val Leu Ala Val Asn Ser Leu Gly Ala Ser Leu Val Asn 130 135 140

Phe Asn Leu Thr Phe Ser Trp Pro Met Ser Lys Val Ser Ala Val Glu 145 150 155 160

Ser Leu Ser Ala Tyr Pro Leu Ser Ser Ser Cys Val Ile Leu Ser Trp 165 170 175

Thr Leu Ser Pro Asp Asp Tyr Ser Leu Leu Tyr Leu Val Ile Glu Trp 180 185 190

Lys Ile Leu Asn Glu Asp Asp Gly Met Lys Trp Leu Arg Ile Pro Ser 195 200 205

Asn Val Lys Lys Phe Tyr Ile His Asp Asn Phe Ile Pro Ile Glu Lys 210 215 220

Tyr Gln Phe Ser Leu Tyr Pro Val Phe Met Glu Gly Val Gly Lys Pro 225 230 235 240

Lys Ile Ile Asn Gly Phe Thr Lys Asp Ala Ile Asp Lys Gln Gln Asn 245 250 255

Asp Ala Gly Leu Tyr Val Ile Val Pro Ile Ile Ile Ser Ser Cys Val 260 265 270

Leu Leu Cly Thr Leu Leu Ile Ser His Gln Arg Met Lys Lys Leu Phe Trp Asp Asp Val Pro Asn Pro Lys Asn Cys Ser Trp Ala Gln Gly 295 Leu Asn Phe Gln Lys Pro Glu Thr Phe Glu Gln Leu Phe Thr Lys His Ala Glu Ser Val Ile Phe Gly Pro Leu Leu Glu Pro Glu Pro Ile 325 Ser Glu Glu Ile Ser Val Asp Thr Ala Trp Lys Asn Lys Asp Glu Met Val Pro Ala Ala Met Val Ser Leu Leu Trp Thr Thr Pro Asp Pro Glu 360 Ser Ser Ser Ile Cys Ile Ser Asp Gln Cys Asn Ser Ala Asn Phe Ser 370 Gly Ser Gln Ser Thr Gln Val Cys Glu Asp Glu Cys Gln Arg Gln Pro 390 395 Ser Val Lys Tyr Ala Thr Leu Val Ser Asn Asp Lys Leu Val Glu Thr 410 Asp Glu Glu Gln Gly Phe Ile His Ser Pro Val Ser Asn Cys Ile Ser 425 Ser Asn His Ser Pro Leu Arg Gln Ser Phe Ser Ser Ser Trp Glu Thr Glu Ala Gln Thr Phe Phe Leu Leu Ser Asp Gln Gln Pro Thr Met 450 455 Ile Ser Pro Gln Leu Ser Phe Ser Gly Leu Asp Glu Leu Leu Glu Leu 475 Glu Gly Ser Phe Pro Glu Glu Asn His Arg Glu Lys Ser Val Cys Tyr 490 Leu Gly Val Thr Ser Val Asn Arg Arg Glu Ser Gly Val Leu Leu Thr Gly Glu Ala Gly Ile Leu Cys Thr Phe Pro Ala Gln Cys Leu Phe Ser 520 Asp Ile Arg Ile Leu Gln Glu Arg Cys Ser His Phe Val Glu Asn Asn 530 Leu Ser Leu Gly Thr Ser Gly Glu Asn Phe Gly Pro Tyr Met Pro Gln 545 Phe Gln Thr Cys Ser Thr His Ser His Lys Ile Met Glu Asn Lys Met 570

# Cys Asp Phe Thr Val 580

## (2) INFORMATION FOR SEQ ID NO:5:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 961 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO

#### (vii) IMMEDIATE SOURCE:

(B) CLONE: A6 (OB-Rc)

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

TTTAAGGGAT	TTAGTCTCTG	GATTTGAAGA	ААТАААТААА	TAAATAAAGG	AAAACTAATT	60
TTCTCGTGCC	GGATGACTGC	TAGCTGAGCT	CAGGCCTACT	GCATTCTACA	TTTCGACTCT	120
CTCCCTCTTC	CCCAGTGCTT	TAGCACTGGA	CTGGGCAGTN	CCTGGCCTGG	TCTAACTCCT	180
GTTTCCTGGT	GGGAATGTAT	AATAAGAACT	CCATGAGTTC	TGGTATAAAC	ACTGTGGTCT	240
GTGTGCTAAT	TAAATCTNGT	GTTTCCTACA	GCCCCTGACG	AAAAATGACT	CACTGTGTAG	300
TGTGAGGAGG	TACGTGGTGA	AGCATCGTAC	TGCCCACAAT	GGGACGTGGT	CAGAAGATGT	360
GGGAAATCGG	ACCAATCTCA	CTTTCCTGTG	GACAGAACCA	GCGCACACTG	TTACAGTTCT	420
GGCTGTCAAT	TCCCTCGGCG	CTTCCCTTGT	GAATTTTAAC	CTTACCTTCT	CATGGCCCAT	480
GAGTAAAGTG	AGTGCTGTGG	AGTCACTCAG	TGCTTATCCC	CTGAGCAGCA	GCTGTGTCAT	540
CCTTTCCTGG	ACACTGTCAC	CTGATGATTA	TAGTCTGTTA	TATCTGGTTA	TTGAATGGAA	600
GATCCTTAAT	GAAGATGATG	GAATGAAGTG	GCTTAGAATT	CCCTCGAATG	TTAAAAAGTT	660
TTATATCCAC	GATAATTTTA	TTCCCATCGA	GAAATATCAG	TTTAGTCTTT	ACCCAGTATT	720
TATGGAAGGA	GTTGGAAAAC	CAAAGATAAT	TAATGGTTTC	ACCAAAGATG	CTATCGACAA	780
GCAGCAGAAT	GACGCAGGGC	TGTATGTCAT	TGTACCCATA	ATTATTTCCT	CTTGTGTCCT	840
ACTGCTCGGA	ACACTGTTAA	TTTCACACCA	GAGAATGAAA	AAGTTGTTTT	GGGACGATGT	900
TCCAAACCCC	AAGAATTGTT	CCTGGGCACA	AGGACTGAAT	TTCCAAAAGG	TCACTGTTTA	960
A						961

#### (2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 319 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vii) IMMEDIATE SOURCE:
  - (B) CLONE: OB-Rc
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:
- Leu Arg Asp Leu Val Ser Gly Phe Glu Glu Ile Asn Lys Xaa Ile Lys

  1 10 15
- Glu Asn Xaa Phe Ser Arg Ala Gly Xaa Leu Leu Ala Glu Leu Arg Pro 20 25 30
- Thr Ala Phe Tyr Ile Ser Thr Leu Ser Leu Phe Pro Ser Ala Leu Ala 35 40 45
- Leu Asp Trp Ala Val Pro Gly Leu Val Xaa Leu Leu Phe Pro Gly Gly 50 55 60
- Asn Val Xaa Xaa Glu Leu His Glu Phe Trp Tyr Lys His Cys Gly Leu 65 70 75 80
- Cys Ala Asn Xaa Ile Xaa Cys Phe Leu Gln Pro Leu Thr Lys Asn Asp 85 90 95
- Ser Leu Cys Ser Val Arg Arg Tyr Val Val Lys His Arg Thr Ala His 100 105 110
- Asn Gly Thr Trp Ser Glu Asp Val Gly Asn Arg Thr Asn Leu Thr Phe 115 120 125
- Leu Trp Thr Glu Pro Ala His Thr Val Thr Val Leu Ala Val Asn Ser 130 135 140
- Leu Gly Ala Ser Leu Val Asn Phe Asn Leu Thr Phe Ser Trp Pro Met 145 150 155 160
- Ser Lys Val Ser Ala Val Glu Ser Leu Ser Ala Tyr Pro Leu Ser Ser 165 170 175
- Ser Cys Val Ile Leu Ser Trp Thr Leu Ser Pro Asp Asp Tyr Ser Leu 180 185 190

Leu	Tyr	Leu 195	Val	Ile	Glu	Trp	Lys 200	Ile	Leu	Asn	Glu	Asp 205	Asp	Gly	Met	
Lys	Trp 210	Leu	Arg	Ile	Pro	Ser 215	Asn	Val	Lys	Lys	Phe 220	Tyr	Ile	His	Asp	
Asn 225	Phe	Ile	Pro	Ile	Glu 230	Lys	Tyr	Gln	Phe	Ser 235	Leu	Tyr	Pro	Val	Phe 240	
Met	Glu	Gly	Val	Gly 245	Lys	Pro	Lys	Ile	Ile 250	Asn	Gly	Phe	Thr	Lys 255	Asp	
Ala	Ile	Asp	Lys 260	Gln	Gln	Asn	Asp	Ala 265	Gly	Leu	Tyr	Val	Ile 270	Val	Pro	
Ile	Ile	Ile 275	Ser	Ser	Cys	Val	Leu 280	Leu	Leu	Gly	Thr	Leu 285	Leu	Ile	Ser	
His	Gln 290	Arg	Met	Lys	Lys	Leu 295	Phe	Trp	Asp	Asp	Val 300	Pro	Asn	Pro	Lys	
Asn 305	Cys	Ser	Trp	Ala	Gln 310	Gly	Leu	Asn	Phe	Gln 315	Lys	Val	Thr	Val		
(2) INFO	RMAT	ON I	FOR S	SEQ I	D NO	0:7:										
(i)	(A) (B) (C)	LEN TYI	NGTH: PE: r RANDE	270 nucle	TERIS 03 ba eic a SS: d linea	ase p acid doubl	pairs	5								
(ii)	MOLE	ECULI	E TYI	PE: c	DNA											
(iii)	нүрс	THE	ricai	.: NC	)											
(iv)	ANTI	-SEI	ISE:	NO												
(vii)					E: (OB-F	≀d)										
(xi)	SEQU	JENCE	E DES	CRIE	4OIT9	1: SE	EQ II	NO:	7:							
ATGATGTGT	C AG	CAAA	TCTA	TGI	GGTI	TTG	TTAC	CACTO	GG A	LTTA	CTTI	TA TO	TGAT	AGCI	י	60
GCACTTAAC	C TO	GCAT	TATCO	raa :	CTCI	CCC	TGGA	LTAA	TA A	GTTG	TTTT	G TO	GACC	CACCO	3	120
AACACAACO	G AI	GACI	CCTI	TCI	CTCA	CCT	GCTG	GAGC	cc c	CAAAC	AATG	CI	CGGC	TTTC	3	180
AAGGGGCT	T CI	GAAG	CAAT	TGT	TGAA	GCT	AAAT	TTAA	TT C	AAGI	'GGTA	T CI	'ACG1	TCCI	?	240
GAGTTATCO	AA AA	ACAG	TCTI	CCA	CTGI	TGC	тттс	GGAA	TG A	GCAA	.GGTC	A AA	ACTO	CTCI	?	300
GCACTCACA	G AC	CAACA	CTGA	AGG	GAAG	ACA	CTGG	CTTC	AG I	AGTG	AAGG	с та	CAGI	TTTT		360

CGCCAGCTAG	GTGTAAACTG	GGACATAGAG	TGCTGGATGA	AAGGGGACTT	GACATTATTC	420			
ATCTGTCATA	TGGAGCCATT	ACCTAAGAAC	CCCTTCAAGA	ATTATGACTC	TAAGGTCCAT	480			
CTTTTATATG	ATCTGCCTGA	AGTCATAGAT	GATTCGCCTC	TGCCCCCACT	GAAAGACAGC	540			
TTTCAGACTG	TCCAATGCAA	CTGCAGTCTT	CGGGGATGTG	AATGTCATGT	GCCGGTACCC	600			
AGAGCCAAAC	TCAACTACGC	TCTTCTGATG	TATTTGGAAA	TCACATCTGC	CGGTGTGAGT	660			
TTTCAGTCAC	CTCTGATGTC	ACTGCAGCCC	ATGCTTGTTG	TGAAACCCGA	TCCACCCTTA	720			
GGTTTGCATA	TGGAAGTCAC	AGATGATGGT	AATTTAAAGA	TTTCTTGGGA	CAGCCAAACA	780			
ATGGCACCAT	TTCCGCTTCA	ATATCAGGTG	AAATATTTAG	AGAATTCTAC	AATTGTAAGA	840			
GAGGCTGCTG	AAATTGTCTC	AGCTACATCT	CTGCTGGTAG	ACAGTGTGCT	TCCTGGATCT	900			
TCATATGAGG	TCCAGGTGAG	GAGCAAGAGA	CTGGATGGTT	CAGGAGTCTG	GAGTGACTGG	960			
AGTTCACCTC	AAGTCTTTAC	CACACAAGAT	GTTGTGTATT	TTCCACCCAA	AATTCTGACT	1020			
AGTGTTGGAT	CGAATGCTTC	TTTTCATTGC	ATCTACAAAA	ACGAAAACCA	GATTATCTCC	1080			
TCAAAACAGA	TAGTTTGGTG	GAGGAATCTA	GCTGAGAAAA	TCCCTGAGAT	ACAGTACAGC	1140			
ATTGTGAGTG	ACCGAGTTAG	CAAAGTTACC	TTCTCCAACC	TGAAAGCCAC	CAGACCTCGA	1200			
GGGAAGTTTA	CCTATGACGC	AGTGTACTGC	TGCAATGAGC	AGGCGTGCCA	TCACCGCTAT	1260			
GCTGAATTAT	ACGTGATCGA	TGTCAATATC	AATATATCAT	GTGAAACTGA	CGGGTACTTA	1320			
ACTAAAATGA	CTTGCAGATG	GTCACCCAGC	ACAATCCAAT	CACTAGTGGG	AAGCACTGTG	1380			
CAGCTGAGGT	ATCACAGGCG	CAGCCTGTAT	TGTCCTGATA	GTCCATCTAT	TCATCCTACG	1440			
TCTGAGCCCA	AAAACTGCGT	CTTACAGAGA	GACGGCTTTT	ATGAATGTGT	TTTCCAGCCA	1500			
ATCTTTCTAT	TATCTGGCTA	TACAATGTGG	ATCAGGATCA	ACCATTCTTT	AGGTTCACTT	1560			
GACTCGCCAC	CAACGTGTGT	CCTTCCTGAC	TCCGTAGTAA	AACCACTACC	TCCATCTAAC	1620			
GTAAAAGCAG	AGATTACTGT	AAACACTGGA	TTATTGAAAG	TATCTTGGGA	AAAGCCAGTC	1680			
TTTCCGGAGA	ATAACCTTCA	ATTCCAGATT	CGATATGGCT	TAAGTGGAAA	AGAAATACAA	1740	ı	:	
TGGAAGACAC	ATGAGGTATT	CGATGCAAAG	TCAAAGTCTG	CCAGCCTGCT	GGTGTCAGAC	1800			
CTCTGTGCAG	TCTATGTGGT	CCAGGTTCGC	TGCCGGCGGT	TGGATGGACT	AGGATATTGG	1860			
AGTAATTGGA	GCAGTCCAGC	CTATACGCTT	GTCATGGATG	TAAAAGTTCC	TATGAGAGGG	1920			
CCTGAATTTT	GGAGAAAAAT	GGATGGGGAC	GTTACTAAAA	AGGAGAGAAA	TGTCACCTTG	1980			
CTTTGGAAGC	CCCTGACGAA	AAATGACTCA	CTGTGTAGTG	TGAGGAGGTA	CGTGGTGAAG	2040			
CATCGTACTG	CCCACAATGG	GACGTGGTCA	GAAGATGTGG	GAAATCGGAC	CAATCTCACT	2100			

TTCCTGTGGA	CAGAACCAGC	GCACACTGTT	ACAGTTCTGG	CTGTCAATTC	CCTCGGCGCT	2160
TCCCTTGTGA	ATTTTAACCT	TACCTTCTCA	TGGCCCATGA	GTAAAGTGAG	TGCTGTGGAG	2220
TCACTCAGTG	CTTATCCCCT	GAGCAGCAGC	TGTGTCATCC	TTTCCTGGAC	ACTGTCACCT	2280
GATGATTATA	GTCTGTTATA	TCTGGTTATT	GAATGGAAGA	TCCTTAATGA	AGATGATGGA	2340
ATGAAGTGGC	TTAGAATTCC	CTCGAATGTT	AAAAAGTTTT	ATATCCACGA	ТААТТТТАТТ	2400
CCCATCGAGA	AATATCAGTT	TAGTCTTTAC	CCAGTATTTA	TGGAAGGAGT	TGGAAAACCA	2460
AAGATAATTA	ATGGTTTCAC	CAAAGATGCT	ATCGACAAGC	AGCAGAATGA	CGCAGGGCTG	2520
TATGTCATTG	TACCCATAAT	TATTTCCTCT	TGTGTCCTAC	TGCTCGGAAC	ACTGTTAATT	2580
TCACACCAGA	GAATGAAAAA	GTTGTTTTGG	GACGATGTTC	CAAACCCCAA	GAATTGTTCC	2640
TGGGCACAAG	GACTGAATTT	CCAAAAGGAT	ATATCTTTAC	ATGAAGTTTT	TATTTTCAGA	2700
TAG						2703

#### (2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 900 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vii) IMMEDIATE SOURCE:
   (B) CLONE: OB-Rd
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Met Cys Gln Lys Phe Tyr Val Val Leu Leu His Trp Glu Phe Leu 1 5 10 15

Tyr Val Ile Ala Ala Leu Asn Leu Ala Tyr Pro Ile Ser Pro Trp Lys 20 25 30

Phe Lys Leu Phe Cys Gly Pro Pro Asn Thr Thr Asp Asp Ser Phe Leu 35 40 45

Ser Pro Ala Gly Ala Pro Asn Asn Ala Ser Ala Leu Lys Gly Ala Ser 50 55 60

Glu Ala Ile Val Glu Ala Lys Phe Asn Ser Ser Gly Ile Tyr Val Pro

Glu Leu Ser Lys Thr Val Phe His Cys Cys Phe Gly Asn Glu Gln Gly 85 90 Gln Asn Cys Ser Ala Leu Thr Asp Asn Thr Glu Gly Lys Thr Leu Ala 105 Ser Val Val Lys Ala Ser Val Phe Arg Gln Leu Gly Val Asn Trp Asp 120 Ile Glu Cys Trp Met Lys Gly Asp Leu Thr Leu Phe Ile Cys His Met Glu Pro Leu Pro Lys Asn Pro Phe Lys Asn Tyr Asp Ser Lys Val His 155 Leu Leu Tyr Asp Leu Pro Glu Val Ile Asp Asp Ser Pro Leu Pro Pro 165 Leu Lys Asp Ser Phe Gln Thr Val Gln Cys Asn Cys Ser Leu Arg Gly 180 Cys Glu Cys His Val Pro Val Pro Arg Ala Lys Leu Asn Tyr Ala Leu 195 200 205 Leu Met Tyr Leu Glu Ile Thr Ser Ala Gly Val Ser Phe Gln Ser Pro 215 Leu Met Ser Leu Gln Pro Met Leu Val Val Lys Pro Asp Pro Pro Leu 230 235 Gly Leu His Met Glu Val Thr Asp Asp Gly Asn Leu Lys Ile Ser Trp 245 Asp Ser Gln Thr Met Ala Pro Phe Pro Leu Gln Tyr Gln Val Lys Tyr Leu Glu Asn Ser Thr Ile Val Arg Glu Ala Ala Glu Ile Val Ser Ala 275 280 Thr Ser Leu Leu Val Asp Ser Val Leu Pro Gly Ser Ser Tyr Glu Val 295 Gln Val Arg Ser Lys Arg Leu Asp Gly Ser Gly Val Trp Ser Asp Trp 310 Ser Ser Pro Gln Val Phe Thr Thr Gln Asp Val Val Tyr Phe Pro Pro 325 Lys Ile Leu Thr Ser Val Gly Ser Asn Ala Ser Phe His Cys Ile Tyr 345 Lys Asn Glu Asn Gln Ile Ile Ser Ser Lys Gln Ile Val Trp Trp Arg 360 Asn Leu Ala Glu Lys Ile Pro Glu Ile Gln Tyr Ser Ile Val Ser Asp

375

380

370

Arg Val Ser Lys Val Thr Phe Ser Asn Leu Lys Ala Thr Arg Pro Arg 385 390 Gly Lys Phe Thr Tyr Asp Ala Val Tyr Cys Cys Asn Glu Gln Ala Cys 405 410 His His Arg Tyr Ala Glu Leu Tyr Val Ile Asp Val Asn Ile Asn Ile 425 Ser Cys Glu Thr Asp Gly Tyr Leu Thr Lys Met Thr Cys Arg Trp Ser Pro Ser Thr Ile Gln Ser Leu Val Gly Ser Thr Val Gln Leu Arg Tyr His Arg Arg Ser Leu Tyr Cys Pro Asp Ser Pro Ser Ile His Pro Thr 470 Ser Glu Pro Lys Asn Cys Val Leu Gln Arg Asp Gly Phe Tyr Glu Cys 485 Val Phe Gln Pro Ile Phe Leu Leu Ser Gly Tyr Thr Met Trp Ile Arg 505 Ile Asn His Ser Leu Gly Ser Leu Asp Ser Pro Pro Thr Cys Val Leu 520 Pro Asp Ser Val Val Lys Pro Leu Pro Pro Ser Asn Val Lys Ala Glu 535 Ile Thr Val Asn Thr Gly Leu Leu Lys Val Ser Trp Glu Lys Pro Val Phe Pro Glu Asn Asn Leu Gln Phe Gln Ile Arg Tyr Gly Leu Ser Gly 565 Lys Glu Ile Gln Trp Lys Thr His Glu Val Phe Asp Ala Lys Ser Lys 585 Ser Ala Ser Leu Leu Val Ser Asp Leu Cys Ala Val Tyr Val Val Gln 600 Val Arg Cys Arg Arg Leu Asp Gly Leu Gly Tyr Trp Ser Asn Trp Ser 615 Ser Pro Ala Tyr Thr Leu Val Met Asp Val Lys Val Pro Met Arg Gly 630 635 Pro Glu Phe Trp Arg Lys Met Asp Gly Asp Val Thr Lys Lys Glu Arg 645 650 Asn Val Thr Leu Leu Trp Lys Pro Leu Thr Lys Asn Asp Ser Leu Cys Ser Val Arg Arg Tyr Val Val Lys His Arg Thr Ala His Asn Gly Thr 680

Trp Ser Glu Asp Val Gly Asn Arg Thr Asn Leu Thr Phe Leu Trp Thr 690 695 700

Glu Pro Ala His Thr Val Thr Val Leu Ala Val Asn Ser Leu Gly Ala 705 710 715 720

Ser Leu Val Asn Phe Asn Leu Thr Phe Ser Trp Pro Met Ser Lys Val 725 730 735

Ser Ala Val Glu Ser Leu Ser Ala Tyr Pro Leu Ser Ser Ser Cys Val $740 \hspace{1.5cm} 745 \hspace{1.5cm} 750$ 

Ile Leu Ser Trp Thr Leu Ser Pro Asp Asp Tyr Ser Leu Leu Tyr Leu 755 760 765

Val Ile Glu Trp Lys Ile Leu Asn Glu Asp Asp Gly Met Lys Trp Leu 770 775 780

Arg Ile Pro Ser Asn Val Lys Lys Phe Tyr Ile His Asp Asn Phe Ile 785 790 795 800

Pro Ile Glu Lys Tyr Gln Phe Ser Leu Tyr Pro Val Phe Met Glu Gly 805 810 815

Val Gly Lys Pro Lys Ile Ile Asn Gly Phe Thr Lys Asp Ala Ile Asp 820 825 830

Lys Gln Gln Asn Asp Ala Gly Leu Tyr Val Ile Val Pro Ile Ile 835 840 845

Ser Ser Cys Val Leu Leu Gly Thr Leu Leu Ile Ser His Gln Arg 850 855 860

Met Lys Lys Leu Phe Trp Asp Asp Val Pro Asn Pro Lys Asn Cys Ser 865 870 875 880

Trp Ala Gln Gly Leu Asn Phe Gln Lys Asp Ile Ser Leu His Glu Val 885 890 895

Phe Ile Phe Arg 900

### (2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2461 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vii) IMMEDIATE SOURCE:

### (B) CLONE: A20 (OB-Re)

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

			•			
GAGGAATCGT	TCTGCAAATC	CAGGTGTACA	CCTCTGAAGA	AAGATGATGT	GTCAGAAATT	60
CTATGTGGTT	TTGTTACACT	GGGAATTTCT	TTATGTGATA	GCTGCACTTA	ACCTGGCATA	120
TCCAATCTCT	CCCTGGAAAT	TTAAGTTGTT	TTGTGGACCA	CCGAACACAA	CCGATGACTC	180
CTTTCTCTCA	CCTGCTGGAG	CCCCAAACAA	TGCCTCGGCT	TTGAAGGGGG	CTTCTGAAGC	240
AATTGTTGAA	GCTAAATTTA	ATTCAAGTGG	TATCTACGTT	CCTGAGTTAT	CCAAAACAGT	300
CTTCCACTGT	TGCTTTGGGA	ATGAGCAAGG	TCAAAACTGC	TCTGCACTCA	CAGACAACAC	360
TGAAGGGAAG	ACACTGGCTT	CAGTAGTGAA	GGCTTCAGTT	TTTCGCCAGC	TAGGTGTAAA	420
CTGGGACATA	GAGTGCTGGA	TGAAAGGGGA	CTTGACATTA	TTCATCTGTC	ATATGGAGCC	480
ATTACCTAAG	AACCCCTTCA	AGAATTATGA	CTCTAAGGTC	CATCTTTTAT	ATGATCTGCC	540
TGAAGTCATA	GATGATTCGC	CTCTGCCCCC	ACTGAAAGAC	AGCTTTCAGA	CTGTCCAATG	600
CAACTGCAGT	CTTCGGGGAT	GTGAATGTCA	TGTGCCGGTA	CCCAGAGCCA	AACTCAACTA	660
CGCTCTTCTG	ATGTATTTGG	AAATCACATC	TGCCGGTGTG	AGTTTTCAGT	CACCTCTGAT	720
GTCACTGCAG	CCCATGCTTG	TTGTGAAACC	CGATCCACCC	TTAGGTTTGC	ATATGGAAGT	780
CACAGATGAT	GGTAATTTAA	AGATTTCTTG	GGACAGCCAA	ACAATGGCAC	CATTTCCGCT	840
TCAATATCAG	GTGAAATATT	TAGAGAATTC	TACAATTGTA	AGAGAGGCTG	CTGAAATTGT	900
CTCAGCTACA	TCTCTGCTGG	TAGACAGTGT	GCTTCCTGGA	TCTTCATATG	AGGTCCAGGT	960
GAGGAGCAAG	AGACTGGATG	GTTCAGGAGT	CTGGAGTGAC	TGGAGTTCAC	CTCAAGTCTT	1020
TACCACACAA	GATGTTGTGT	ATTTTCCACC	CAAAATTCTG	ACTAGTGTTG	GATCGAATGC	1080
TTCTTTTCAT	TGCATCTACA	AAAACGAAAA	CCAGATTATC	TCCTCAAAAC	AGATAGTTTG	1140
GTGGAGGAAT	CTAGCTGAGA	AAATCCCTGA	GATACAGTAC	AGCATTGTGA	GTGACCGAGT	1200
TAGCAAAGTT	ACCTTCTCCA	ACCTGAAAGC	CACCAGACCT	CGAGGGAAGT	TTACCTATGA	1260
CGCAGTGTAC	TGCTGCAATG	AGCAGGCGTG	CCATCACCGC	TATGCTGAAT	TATACGTGAT	1320
CGATGTCAAT	ATCAATATAT	CATGTGAAAC	TGACGGGTAC	ТТААСТАААА	TGACTTGCAG	1380
ATGGTCACCC	AGCACAATCC	AATCACTAGT	GGGAAGCACT	GTGCAGCTGA	GGTATCACAG	1440
GCGCAGCCTG	TATTGTCCTG	ATAGTCCATC	TATTCATCCT	ACGTCTGAGC	CCAAAAACTG	1500
CGTCTTACAG	AGAGACGGCT	TTTATGAATG	TGTTTTCCAG	CCAATCTTTC	TATTATCTGG	1560

CTATACAATG	TGGATCAGGA	TCAACCATTC	TTTAGGTTCA	CTTGACTCGC	CACCAACGTG	1620
TGTCCTTCCT	GACTCCGTAG	TAAAACCACT	ACCTCCATCT	AACGTAAAAG	CAGAGATTAC	1680
TGTAAACACT	GGATTATTGA	AAGTATCTTG	GGAAAAGCCA	GTCTTTCCGG	AGAATAACCT	1740
TCAATTCCAG	ATTCGATATG	GCTTAAGTGG	AAAAGAAATA	CAATGGAAGA	CACATGAGGT	1800
ATTCGATGCA	AAGTCAAAGT	CTGCCAGCCT	GCTGGTGTCA	GACCTCTGTG	CAGTCTATGT	1860
GGTCCAGGTT	CGCTGCCGGC	GGTTGGATGG	ACTAGGATAT	TGGAGTAATT	GGAGCAGTCC	1920
AGCCTATACG	CTTGTCATGG	ATGTAAAAGT	TCCTATGAGA	GGGCCTGAAT	TTTGGAGAAA	1980
AATGGATGGG	GACGTTACTA	AAAAGGAGAG	AAATGTCACC	TTGCTTTGGA	AGCCCCTGAC	2040
GAAAAATGAC	TCACTGTGTA	GTGTGAGGAG	GTACGTGGTG	AAGCATCGTA	CTGCCCACAA	2100
TGGGACGTGG	TCAGAAGATG	TGGGAAATCG	GACCAATCTC	ACTTTCCTGT	GGACAGAACC	2160
AGCGCACACT	GTTACAGTTC	TGGCTGTCAA	TTCCCTCGGC	GCTTCCCTTG	TGAATTTTAA	2220
CCTTACCTTC	TCATGGCCCA	TGAGTAAAGT	GAGTGCTGTG	GAGTCACTCA	GTGCTTATCC	2280
CCTGAGCAGC	AGCTGTGTCA	TCCTTTCCTG	GACACTGTCA	CCTGATGATT	ATAGTCTGTT	2340
ATATCTGGTT	ATTGAATGGA	AGATCCTTAA	TGAAGATGAT	GGAATGAAGT	GGCTTAGAAT	2400
TCCCTCGAAT	GTTAAAAAGT	TTTATATCCA	CGGTATGTGT	ACTGTACTTT	TCATGGATTA	2460
G						2461

### (2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 805 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vii) IMMEDIATE SOURCE:
  - (B) CLONE: OB-Re
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met Met Cys Gln Lys Phe Tyr Val Val Leu Leu His Trp Glu Phe Leu 1 5 10 15

Tyr Val Ile Ala Ala Leu Asn Leu Ala Tyr Pro Ile Ser Pro Trp Lys

Phe Lys Leu Phe' Cys Gly Pro Pro Asn Thr Thr Asp Asp Ser Phe Leu Ser Pro Ala Gly Ala Pro Asn Asn Ala Ser Ala Leu Lys Gly Ala Ser Glu Ala Ile Val Glu Ala Lys Phe Asn Ser Ser Gly Ile Tyr Val Pro Glu Leu Ser Lys Thr Val Phe His Cys Cys Phe Gly Asn Glu Gln Gly Gln Asn Cys Ser Ala Leu Thr Asp Asn Thr Glu Gly Lys Thr Leu Ala Ser Val Val Lys Ala Ser Val Phe Arg Gln Leu Gly Val Asn Trp Asp Ile Glu Cys Trp Met Lys Gly Asp Leu Thr Leu Phe Ile Cys His Met Glu Pro Leu Pro Lys Asn Pro Phe Lys Asn Tyr Asp Ser Lys Val His Leu Leu Tyr Asp Leu Pro Glu Val Ile Asp Asp Ser Pro Leu Pro Pro Leu Lys Asp Ser Phe Gln Thr Val Gln Cys Asn Cys Ser Leu Arg Gly Cys Glu Cys His Val Pro Val Pro Arg Ala Lys Leu Asn Tyr Ala Leu Leu Met Tyr Leu Glu Ile Thr Ser Ala Gly Val Ser Phe Gln Ser Pro Leu Met Ser Leu Gln Pro Met Leu Val Val Lys Pro Asp Pro Pro Leu Gly Leu His Met Glu Val Thr Asp Asp Gly Asn Leu Lys Ile Ser Trp Asp Ser Gln Thr Met Ala Pro Phe Pro Leu Gln Tyr Gln Val Lys Tyr Leu Glu Asn Ser Thr Ile Val Arg Glu Ala Ala Glu Ile Val Ser Ala Thr Ser Leu Leu Val Asp Ser Val Leu Pro Gly Ser Ser Tyr Glu Val Gln Val Arg Ser Lys Arg Leu Asp Gly Ser Gly Val Trp Ser Asp Trp Ser Ser Pro Gln Val Phe Thr Thr Gln Asp Val Val Tyr Phe Pro Pro 

Lys Ile Leu Thr Ser Val Gly Ser Asn Ala Ser Phe His Cys Ile Tyr Lys Asn Glu Asn Gln Ile Ile Ser Ser Lys Gln Ile Val Trp Trp Arg 355 360 Asn Leu Ala Glu Lys Ile Pro Glu Ile Gln Tyr Ser Ile Val Ser Asp 375 Arg Val Ser Lys Val Thr Phe Ser Asn Leu Lys Ala Thr Arg Pro Arg 385 395 Gly Lys Phe Thr Tyr Asp Ala Val Tyr Cys Cys Asn Glu Gln Ala Cys His His Arg Tyr Ala Glu Leu Tyr Val Ile Asp Val Asn Ile Asn Ile

425

Ser Cys Glu Thr Asp Gly Tyr Leu Thr Lys Met Thr Cys Arg Trp Ser 435 440

Pro Ser Thr Ile Gln Ser Leu Val Gly Ser Thr Val Gln Leu Arg Tyr 460

His Arg Arg Ser Leu Tyr Cys Pro Asp Ser Pro Ser Ile His Pro Thr 470 475

Ser Glu Pro Lys Asn Cys Val Leu Gln Arg Asp Gly Phe Tyr Glu Cys 485 490

Val Phe Gln Pro Ile Phe Leu Leu Ser Gly Tyr Thr Met Trp Ile Arg

Ile Asn His Ser Leu Gly Ser Leu Asp Ser Pro Pro Thr Cys Val Leu 515 520

Pro Asp Ser Val Val Lys Pro Leu Pro Pro Ser Asn Val Lys Ala Glu 535

Ile Thr Val Asn Thr Gly Leu Leu Lys Val Ser Trp Glu Lys Pro Val 550 555

Phe Pro Glu Asn Asn Leu Gln Phe Gln Ile Arg Tyr Gly Leu Ser Gly 565 570

Lys Glu Ile Gln Trp Lys Thr His Glu Val Phe Asp Ala Lys Ser Lys 585

Ser Ala Ser Leu Leu Val Ser Asp Leu Cys Ala Val Tyr Val Val Gln 600 605

Val Arg Cys Arg Arg Leu Asp Gly Leu Gly Tyr Trp Ser Asn Trp Ser

Ser Pro Ala Tyr Thr Leu Val Met Asp Val Lys Val Pro Met Arg Gly 630 635

Pro Glu Phe Trp Arg Lys Met Asp Gly Asp Val Thr Lys Lys Glu Arg 645 650 655

Asn Val Thr Leu Leu Trp Lys Pro Leu Thr Lys Asn Asp Ser Leu Cys 660 665 670

Ser Val Arg Arg Tyr Val Val Lys His Arg Thr Ala His Asn Gly Thr 675 680 685

Trp Ser Glu Asp Val Gly Asn Arg Thr Asn Leu Thr Phe Leu Trp Thr 690 695 700

Glu Pro Ala His Thr Val Thr Val Leu Ala Val Asn Ser Leu Gly Ala 705 710 715 720

Ser Leu Val Asn Phe Asn Leu Thr Phe Ser Trp Pro Met Ser Lys Val 725 730 735

Ser Ala Val Glu Ser Leu Ser Ala Tyr Pro Leu Ser Ser Ser Cys Val 740 745 750

Ile Leu Ser Trp Thr Leu Ser Pro Asp Asp Tyr Ser Leu Leu Tyr Leu 755 760 765

Val Ile Glu Trp Lys Ile Leu Asn Glu Asp Asp Gly Met Lys Trp Leu 770 775 780

Arg Ile Pro Ser Asn Val Lys Lys Phe Tyr Ile His Gly Met Cys Thr 785 790 795 800

Val Leu Phe Met Asp 805

## (2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 8 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: C-terminal
- (vii) IMMEDIATE SOURCE:
  - (B) CLONE: OB-Ra
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Asn Phe Gln Lys Arg Thr Asp Leu

1

### (2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

5

- (A) LENGTH: 276 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: C-terminal
- (vii) IMMEDIATE SOURCE:
  - (B) CLONE: OB-Rb
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:
  - Asn Phe Gln Lys Pro Glu Thr Phe Glu Gln Leu Phe Thr Lys His Ala 1 5 10 15
  - Glu Ser Val Ile Phe Gly Pro Leu Leu Leu Glu Pro Glu Pro Ile Ser 20 25 30
  - Glu Glu Ile Ser Val Asp Thr Ala Trp Lys Asn Lys Asp Glu Met Val 35 40 45
  - Pro Ala Ala Met Val Ser Leu Leu Trp Thr Thr Pro Asp Pro Glu Ser 50 55 60
  - Ser Ser Ile Cys Ile Ser Asp Gln Cys Asn Ser Ala Asn Phe Ser Gly 70 75 80
  - Ser Gln Ser Thr Gln Val Cys Glu Asp Glu Cys Gln Arg Gln Pro Ser 85 90 95
  - Val Lys Tyr Ala Thr Leu Val Ser Asn Asp Lys Leu Val Glu Thr Asp 100 105 110
  - Glu Glu Gln Gly Phe Ile His Ser Pro Val Ser Asn Cys Ile Ser Ser 115 120 125
  - Asn His Ser Pro Leu Arg Gln Ser Phe Ser Ser Ser Ser Trp Glu Thr 130 135 140
  - Glu Ala Gln Thr Phe Phe Leu Leu Ser Asp Gln Gln Pro Thr Met Ile 145 150 155 160
  - Ser Pro Gln Leu Ser Phe Ser Gly Leu Asp Glu Leu Leu Glu Leu Glu 165 170 175

Gly Ser Phe Pro Glu Glu Asn His Arg Glu Lys Ser Val Cys Tyr Leu 180 185 190

Gly Val Thr Ser Val Asn Arg Glu Ser Gly Val Leu Leu Thr Gly
195 200 205

Glu Ala Gly Ile Leu Cys Thr Phe Pro Ala Gln Cys Leu Phe Ser Asp 210 215 220

Ile Arg Ile Leu Gln Glu Arg Cys Ser His Phe Val Glu Asn Asn Leu 225 230 235 240

Ser Leu Gly Thr Ser Gly Glu Asn Phe Gly Pro Tyr Met Pro Gln Phe 245 250 255

Gln Thr Cys Ser Thr His Ser His Lys Ile Met Glu Asn Lys Met Cys 260 265 270

Asp Phe Thr Val 275

#### (2) INFORMATION FOR SEQ ID NO:13:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 7 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (v) FRAGMENT TYPE: C-terminal
- (vii) IMMEDIATE SOURCE:
  - (B) CLONE: OB-Rc
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Asn Phe Gln Lys Val Thr Val 1 5

### (2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 14 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (v) FRAGMENT TYPE: C-terminal (vii) IMMEDIATE SOURCE: (B) CLONE: OB-Rd (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14: Asn Phe Gln Lys Asp Ile Ser His Glu Val Phe Ile Phe Arg 10 (2) INFORMATION FOR SEQ ID NO:15: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 13 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: peptide (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (v) FRAGMENT TYPE: C-terminal (vii) IMMEDIATE SOURCE: (B) CLONE: OB-Re (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15: Phe Tyr Ile His Gly Met Cys Thr Val Leu Phe Met Asp (2) INFORMATION FOR SEQ ID NO:16: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 8 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: peptide (iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

- (v) FRAGMENT TYPE: internal (vii) IMMEDIATE SOURCE: (B) CLONE: OB-Ra/db/db (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16: Pro Gln Lys Arg Thr Asp Thr Leu (2) INFORMATION FOR SEQ ID NO:17: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: peptide (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (v) FRAGMENT TYPE: internal (vii) IMMEDIATE SOURCE: (B) CLONE: OB-Rb/wt (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17: Pro Gln Lys Pro Glu Thr 1 5 (2) INFORMATION FOR SEQ ID NO:18:
- - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 12 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: double
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (iii) HYPOTHETICAL: NO
  - (iv) ANTI-SENSE: NO

	(X1)	SEQUENCE DESCRIPTION: SEQ ID NO:18:	
GAT	rggagg	GA AA	12
(2)	INFO	RMATION FOR SEQ ID NO:19:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 12 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: double  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	
	(iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
-	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:19:	
GAT	'GGAGG'	TA AA	12
(2)	INFO	RMATION FOR SEQ ID NO:20:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	
	(iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:20:	
ATC	TTGGG	TT CTCTGAAGAA	20
(2)	INFO	RMATION FOR SEQ ID NO:21:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 21 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	

(iii) HYPOTHETICAL: NO

(iv)	ANTI-SENSE: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:21:	
GAGATTGT	CA GTCACAGCCT C	21
(2) INFO	RMATION FOR SEQ ID NO:22:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 23 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:22:	
ATCTGAAT	TG GAATCAAATA CAC	23
(2) INFO	RMATION FOR SEQ ID NO:23:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 22 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:23:	
AAATCTGT	TA TCCTTCTGAA AC	22

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 23 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(vi)	SEQUENCE DESCRIPTION: SEQ ID NO:24:	
ACACTGTT	AA TTTCACACCA GAG	23
(2) INFO	RMATION FOR SEQ ID NO:25:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 24 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
	SEQUENCE DESCRIPTION: SEQ ID NO:25:	
AGTCATTC	AA ACCATTAGTT TAGG	24
(2) INFO	RMATION FOR SEQ ID NO:26:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 21 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:26:	
TGGATAAA	CC CTTGCTCTTC A	21
	RMATION FOR SEQ ID NO:27:	
(2) TIME OF	THILLOW FOR DEG ID NO.21.	

(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 22 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:27:	
TGAACACA	AC AACATAAAGC CC	22
(2) INFO	RMATION FOR SEQ ID NO:28:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 18 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO.	
(iv)	ANTI-SENSE: NO	
	SEQUENCE DESCRIPTION: SEQ ID NO:28:	18
	RMATION FOR SEQ ID NO:29:	10
	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 25 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: DNA (genomic)	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GTGACTGAAT GAAGATGTAA TATAC	25
(2) INFORMATION FOR SEQ ID NO:30:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 23 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(wi) CEOUENCE DECORTOMON, CEO TO NO 20	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:	
TGTTATATCT GGTTATTGAA TGG	23
(2) INFORMATION FOR SEQ ID NO:31:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 27 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:	
CATTAAATGA TTTATTATCA GAATTGC	27
(2) INFORMATION FOR SEQ ID NO:32:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 14 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>	
(ii) MOLECULE TYPE: peptide	

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:32: Glu Pro Leu Pro Lys Asn Pro Phe Lys Asn Tyr Asp Ser Lys 5 (2) INFORMATION FOR SEQ ID NO:33: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: peptide (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (v) FRAGMENT TYPE: internal (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33: His Arg Arg Ser Leu Tyr Cys Pro Asp Ser Pro Ser Ile His Pro Thr 10 Ser Glu Pro Lys (2) INFORMATION FOR SEQ ID NO:34: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: peptide

(v) FRAGMENT TYPE: internal

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Cys Ser Trp	
(2) INFORMATION FOR SEQ ID NO:35:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 166 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: double</li><li>(D) TOPOLOGY: linear</li></ul>	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(vii) IMMEDIATE SOURCE: (B) CLONE: 7	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
AGGGNAAGCG CCGAGGGAAT TGACAGCCAG AACTGTAACA GTGTGCGCTG GTTCTGTCCA	60
CAGGAAAGTG AGATTGGTCC GATTTCCCAC ATCTTCTGAC CACGTCCCAT TGTGGGCAGT 1	20
ACGATGCTTC ACCACGTACC TCCTCACACT ACACAGTGAG TCATTT 1	66
(2) INFORMATION FOR SEQ ID NO:36:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 320 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: double</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(vii) IMMEDIATE SOURCE: (B) CLONE: 11	

Gln Arg Met Lys Lys Leu Phe Trp Asp Asp Val Pro Asn Pro Lys Asn

10

5

(2)

GGTGAAGCAT CGTACTGCCC ACAATGGGAC GTGGTCAGAA GATGTGGGAA ATCGGACCAA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

TCTCACTTTC CTGTGGACAG AACCAGCGCA CACTGTTACA GTTCTGGCTG TCAATTCCCT	120
CGGCGCTTCC CTTGTGAATT TTAACCTTAC CTTCTCATGG CCCATGAGTA AAGTGAGTGC	180
TGTGGAGTCA CTCAGTGCTT ATCCCCTGAG CAGCAGCTGT GTCATCCTTT CCTGGACACT	240
GTCACCTGAT GATTATAGTC TGTTATATCT GGTTATTGAA TGGAAGATCC TTAATGAAGA	300
TGATGGAATG AAGTGGCTTA	320
(2) INFORMATION FOR SEQ ID NO:37:	
<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 158 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: double</li><li>(D) TOPOLOGY: linear</li></ul>	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(vii) IMMEDIATE SOURCE: (B) CLONE: 42	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:	
GATTACTGGA GATGCAGTTG CTGACAGGAC TATGGATAAA CCCTTGCTCT TCATCAGTTT	60
CCACTAGTTT ATCGTTGCTG ACCAGAGTTG CATATTTAAC TGAGGGTTGT CTCTGACACT	120
CATCCTCACA GGTTACCTGG GTGCTCTGAG ACCCAGAG	158
(2) INFORMATION FOR SEQ ID NO:38:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 192 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: double</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(vii) IMMEDIATE SOURCE:	

1 '

(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:38:	
AGAGAGAT	CC CTGACCCTAG TTAGATCTGT TTTCAGGCTC TGTGTTCATT TGATGTTCAG	60
AAGTCAGC	AA GGTTCTCATA TGTCCTGAGT TAGTAAGATG TCTCAGGGTT CCCCCATCAG	120
CTAACAAC	CA CTTTGACATG AGAAGGCAGA AAGTTAAAGA ACACTACTTG GTGTTTTACT	180
TAAAGATA	CG AG	192
(2) INFO	RMATION FOR SEQ ID NO:39:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 168 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: double  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(vii)	IMMEDIATE SOURCE: (B) CLONE: 58	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:39:	
	AA GGAAGTTTTC TCATCTAACA AGCAAGCAAA GGAACTGCTT ATGTNCTGTG	60
	AG GNAGCTCAGA TGTCACCATA GTCATCATGA ACTCGAGTGA CTCTGCCACT	
	AG GATGTGCTTG GANGATAATC CTGCGCAAGA AACAGATA	168
	RMATION FOR SEQ ID NO:40:	200
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 259 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: double  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(vii)	IMMEDIATE SOURCE: (B) CLONE: S3	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:	
AGAATTATGA CTCTAAGGTC CATCTTTAT ATGATCTGCC TGAAGTCATA GATGATTCGC	60
CTCTGCCCCC ACTGAAAGAC AGNTTTCAGA CTGTCCAATG NAACTGCAGT CTTCGGGGAT	120
GTGAATGTCA TGTGCCAGTA CCCAGAGCCA AACTCAACTA CGCTCTTCTG ATGTATTTGG	180
NAATCACATC TGCCGGTGTG AGTTTTCAGT CACCTCTGAT GTCACTGCAG CCCATGCTTG	240
TTGTGAAACC CGATCCACC	259
(2) INFORMATION FOR SEQ ID NO:41:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 250 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: double</li> <li>(D) TOPOLOGY: linear</li> <li>(ii) MOLECULE TYPE: cDNA</li> </ul>	
(iii) HYPOTHETICAL: NO	
(III) AIPOINEILEAL: NO	
(iv) ANTI-SENSE: NO	
(vii) IMMEDIATE SOURCE: (B) CLONE: S14	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:	
CTTCAACAAT TGGTTCAGAA GCCCCCTTCA AAGCCGAGGC ATTGTTTGGG GCTCCAGCAG	60
GTGAGAGAAA GGAGTCATCG GTTGTTTCG GTGGTCCACA AAACAACTTA AATTTCCAGG	120
GAGAGATTGG ATATGCCAGG TTAAGTGCAG CTATCACATA AAGAAATTCC CAGTGTAACA	180
AAACCACATA GANTTTCTAA CACATCATCT TTCTTCAGAG GTGTACACCT GGATTTGCAG	240
AACGATTCCT	250
(2) INFORMATION FOR SEQ ID NO:42:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 18 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul> (ii) MOLECULE TYPE: cDNA	

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:42:	
CCGA	.GGGA	AT TGACAGCC	18
(2)	INFO	RMATION FOR SEQ ID NO:43:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 22 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: cDNA	
(	iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
	( <del>-</del> )	CHOURNER RECORDER ON AND AD AD	
	(X1)	SEQUENCE DESCRIPTION: SEQ ID NO:43:	
CTCA	CTGT(	GT AGTGTGAGGA GG	22
(2)	INFO	RMATION FOR SEQ ID NO:44:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 19 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: cDNA	
(	iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:44:	
тсст	GTGG	AC AGAACCAGC	19
(2)	INFOF	RMATION FOR SEQ ID NO:45:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 19 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	

(	(iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
	(vi)	SEQUENCE DESCRIPTION: SEQ ID NO:45:	
መርአር		CT GCTGCTCAG	1.0
			19
(2)		RMATION FOR SEQ ID NO:46:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: cDNA	
(	iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:46:	
GGTC	TCAG	AG CACCCAGGTA	20
(2)	INFO	RMATION FOR SEQ ID NO:47:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 22 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: cDNA	
(	iii)	HYPOTHETICAL: NO	
	(iv)	ANTI-SENSE: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:47:	
AGAG	AGATO	CC CTGACCCTAG TT	22
(2)	INFOR	RMATION FOR SEQ ID NO:48:	
	(i)	SEQUENCE CHARACTERISTICS:	

(ii) MOLECULE TYPE: cDNA

	(A) LENGTH: 26 base pairs (B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
<b>,</b> –		
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:48:	
AACTTTCT	GC CTTCCTTCTC ATGTCA	26
(2) INFO	RMATION FOR SEQ ID NO:49:	
(i)	SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 22 base pairs (B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
	SEQUENCE DESCRIPTION: SEQ ID NO:49:	
TTTCTCATO	CT AACAAGCAAG CA	22
(2) INFO	RMATION FOR SEQ ID NO:50:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs	
	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

ATCTGTTTC	T TGCGCAGGAT	20
(2) INFOR	MATION FOR SEQ ID NO:51:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 18 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:51:	
CATTGTTTG	G GGCTCCAG	18
(2) INFOR	MATION FOR SEQ ID NO:52:	
(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 20 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv)	ANTI-SENSE: NO	
( <del>-</del> )	GEOVERNOE DEGOSTORION, GEO. TO NO. 50	
	SEQUENCE DESCRIPTION: SEQ ID NO:52:	
	G CAAATCCAGG	20
	MATION FOR SEQ ID NO:53:	
(1)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 21 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii) 1	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(iv) /	ANTI-SENSE: NO	

ix)	i) SEQUENCE DESCRIPTION: SEQ ID NO:53:	
TGAAGTO	CATA GATGATTCGC C	21
(2) INE	FORMATION FOR SEQ ID NO:54:	
i)	(A) LENGTH: 20 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii	i) MOLECULE TYPE: cDNA	
(iii	i) HYPOTHETICAL: NO	
(it	n) ANTI-SENSE: NO	
(xi	1) SEQUENCE DESCRIPTION: SEQ ID NO:54:	
GTTCGTA	ACCC GACGTCACTG	20
(2) INF	FORMATION FOR SEQ ID NO:55:	
i)	(A) LENGTH: 894 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: not relevant (D) TOPOLOGY: not relevant	
(ii	) MOLECULE TYPE: protein	
(iii	) HYPOTHETICAL: NO	
(iv	) ANTI-SENSE: NO	٠
(vii	.) IMMEDIATE SOURCE: (B) CLONE: OB-R	
(xi	.) SEQUENCE DESCRIPTION: SEQ ID NO:55:	
Ме 1	et Met Cys Gln Lys Phe Tyr Val Val Leu Leu His Trp Glu Phe Leu 5 10 15	
Ту	r Val Ile Ala Ala Leu Asn Leu Ala Tyr Pro Ile Ser Pro Trp Lys 20 25 30	

Phe Lys Leu Phe Cys Gly Pro Pro Asn Thr Thr Asp Asp Ser Phe Leu 35 40 45

. . .

Ser Pro Ala Gly Ala Pro Asn Asn Ala Ser Ala Leu Lys Gly Ala Ser 50 55 60

Glu Ala Ile Val Glu Ala Lys Phe Asn Ser Ser Gly Ile Tyr Val Pro 65 70 75 80

Glu Leu Ser Lys Thr Val Phe His Cys Cys Phe Gly Asn Glu Gln Gly 85 90 95

Gln Asn Cys Ser Ala Leu Thr Asp Asn Thr Glu Gly Lys Thr Leu Ala 100 105 110

Ser Val Val Lys Ala Ser Val Phe Arg Gln Leu Gly Val Asn Trp Asp 115 120 125

Ile Glu Cys Trp Met Lys Gly Asp Leu Thr Leu Phe Ile Cys His Met 130 135 140

Glu Pro Leu Pro Lys Asn Pro Phe Lys Asn Tyr Asp Ser Lys Val His 145 150 155 160

Leu Leu Tyr Asp Leu Pro Glu Val Ile Asp Asp Ser Pro Leu Pro Pro 165 170 175

Leu Lys Asp Ser Phe Gln Thr Val Gln Cys Asn Cys Ser Leu Arg Gly 180 185 190

Cys Glu Cys His Val Pro Val Pro Arg Ala Lys Leu Asn Tyr Ala Leu 195 200 205

Leu Met Tyr Leu Glu Ile Thr Ser Ala Gly Val Ser Phe Gln Ser Pro 210 215 220

Leu Met Ser Leu Gln Pro Met Leu Val Val Lys Pro Asp Pro Pro Leu 225 230 235 240

Gly Leu His Met Glu Val Thr Asp Asp Gly Asn Leu Lys Ile Ser Trp 245 250 255

Asp Ser Gln Thr Met Ala Pro Phe Pro Leu Gln Tyr Gln Val Lys Tyr 260 265 270

Leu Glu Asn Ser Thr Ile Val Arg Glu Ala Ala Glu Ile Val Ser Ala 275 280 285

Thr Ser Leu Leu Val Asp Ser Val Leu Pro Gly Ser Ser Tyr Glu Val 290 295 300

Gln Val Arg Ser Lys Arg Leu Asp Gly Ser Gly Val Trp Ser Asp Trp 305 310 315 320

Ser Ser Pro Gln Val Phe Thr Thr Gln Asp Val Val Tyr Phe Pro Pro 325 330 335

Lys Ile Leu Thr Ser Val Gly Ser Asn Ala Ser Phe His Cys Ile Tyr

1 (1)

Lys Asn Glu Asn Gln Ile Ile Ser Ser Lys Gln Ile Val Trp Trp Arg Asn Leu Ala Glu Lys Ile Pro Glu Ile Gln Tyr Ser Ile Val Ser Asp Arg Val Ser Lys Val Thr Phe Ser Asn Leu Lys Ala Thr Arg Pro Arg Gly Lys Phe Thr Tyr Asp Ala Val Tyr Cys Cys Asn Glu Gln Ala Cys His His Arg Tyr Ala Glu Leu Tyr Val Ile Asp Val Asn Ile Asn Ile Ser Cys Glu Thr Asp Gly Tyr Leu Thr Lys Met Thr Cys Arg Trp Ser Pro Ser Thr Ile Gln Ser Leu Val Gly Ser Thr Val Gln Leu Arg Tyr His Arg Arg Ser Leu Tyr Cys Pro Asp Ser Pro Ser Ile His Pro Thr Ser Glu Pro Lys Asn Cys Val Leu Gln Arg Asp Gly Phe Tyr Glu Cys Val Phe Gln Pro Ile Phe Leu Leu Ser Gly Tyr Thr Met Trp Ile Arg Ile Asn His Ser Leu Gly Ser Leu Asp Ser Pro Pro Thr Cys Val Leu Pro Asp Ser Val Val Lys Pro Leu Pro Pro Ser Asn Val Lys Ala Glu Ile Thr Val Asn Thr Gly Leu Leu Lys Val Ser Trp Glu Lys Pro Val Phe Pro Glu Asn Asn Leu Gln Phe Gln Ile Arg Tyr Gly Leu Ser Gly Lys Glu Ile Gln Trp Lys Thr His Glu Val Phe Asp Ala Lys Ser Lys Ser Ala Ser Leu Leu Val Ser Asp Leu Cys Ala Val Tyr Val Val Gln Val Arg Cys Arg Arg Leu Asp Gly Leu Gly Tyr Trp Ser Asn Trp Ser Ser Pro Ala Tyr Thr Leu Val Met Asp Val Lys Val Pro Met Arg Gly Pro Glu Phe Trp Arg Lys Met Asp Gly Asp Val Thr Lys Lys Glu Arg 

o : 🍖

Asn Val Thr Leu Leu Trp Lys Pro Leu Thr Lys Asn Asp Ser Leu Cys 660 Ser Val Arg Arg Tyr Val Val Lys His Arg Thr Ala His Asn Gly Thr 680 Trp Ser Glu Asp Val Gly Asn Arg Thr Asn Leu Thr Phe Leu Trp Thr Glu Pro Ala His Thr Val Thr Val Leu Ala Val Asn Ser Leu Gly Ala 705 710 715 Ser Leu Val Asn Phe Asn Leu Thr Phe Ser Trp Pro Met Ser Lys Val 725 730 Ser Ala Val Glu Ser Leu Ser Ala Tyr Pro Leu Ser Ser Ser Cys Val 745 Ile Leu Ser Trp Thr Leu Ser Pro Asp Asp Tyr Ser Leu Leu Tyr Leu 760 Val Ile Glu Trp Lys Ile Leu Asn Glu Asp Asp Gly Met Lys Trp Leu Arg Ile Pro Ser Asn Val Lys Lys Phe Tyr Ile His Asp Asn Phe Ile 790 795 Pro Ile Glu Lys Tyr Gln Phe Ser Leu Tyr Pro Val Phe Met Glu Gly 805 810 Val Gly Lys Pro Lys Ile Ile Asn Gly Phe Thr Lys Asp Ala Ile Asp 825 Lys Gln Gln Asn Asp Ala Gly Leu Tyr Val Ile Val Pro Ile Ile 835 840

Ser Ser Cys Val Leu Leu Gly Thr Leu Leu Ile Ser His Gln Arg 855

Met Lys Lys Leu Phe Trp Asp Asp Val Pro Asn Pro Lys Asn Cys Ser 870 875

Trp Ala Gln Gly Leu Asn Phe Gln Lys Arg Thr Asp Thr Leu 885 890

## (2) INFORMATION FOR SEQ ID NO:56:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1165 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO

## (vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

Met Ile Cys Gln Lys Phe Cys Val Val Leu Leu His Trp Glu Phe Ile
5 10 15

Tyr Val Ile Thr Ala Phe Asn Leu Ser Tyr Pro Ile Thr Pro Trp Arg 20 25 30

Phe Lys Leu Ser Cys Met Pro Pro Asn Ser Thr Tyr Asp Tyr Phe Leu 35 40 45

Leu Pro Ala Gly Leu Ser Lys Asn Thr Ser Asn Ser Asn Gly His Tyr 50 55 60

Glu Thr Ala Val Glu Pro Lys Phe Asn Ser Ser Gly Thr His Phe Ser 65 70 75 80

Asn Leu Ser Lys Thr Thr Phe His Cys Cys Phe Arg Ser Glu Gln Asp 85 90 95

Arg Asn Cys Ser Leu Cys Ala Asp Asn Ile Glu Gly Lys Thr Phe Val

Ser Thr Val Asn Ser Leu Val Phe Gln Gln Ile Asp Ala Asn Trp Asn 115 120 125

Ile Gln Cys Trp Leu Lys Gly Asp Leu Lys Leu Phe Ile Cys Tyr Val 130 135 140

Glu Ser Leu Phe Lys Asn Leu Phe Arg Asn Tyr Asn Tyr Lys Val His 145 150 155 160

Leu Leu Tyr Val Leu Pro Glu Val Leu Glu Asp Ser Pro Leu Val Pro 165 170 175

Gln Lys Gly Ser Phe Gln Met Val His Cys Asn Cys Ser Val His Glu 180 185 190

Cys Cys Glu Cys Leu Val Pro Val Pro Thr Ala Lys Leu Asn Asp Thr 195 200 205

Leu Leu Met Cys Leu Lys Ile Thr Ser Gly Gly Val Ile Phe Gln Ser 210 215 220

Pro Leu Met Ser Val Gln Pro Ile Asn Met Val Lys Pro Asp Pro Pro 225 230 235 240

Leu Gly Leu His Met Glu Ile Thr Asp Asp Gly Asn Leu Lys Ile Ser 245 250 255

Trp Ser Ser Pro Pro Leu Val Pro Phe Pro Leu Gln Tyr Gln Val Lys 260 265 270

Tyr Ser Glu Asn Ser Thr Thr Val Ile Arg Glu Ala Asp Lys Ile Val 275 280 285

Ser Ala Thr Ser Leu Leu Val Asp Ser Ile Leu Pro Gly Ser Ser Tyr 290 295 300 . . . . Sb

Glu Val Gln Val Arg Gly Lys Arg Leu Asp Gly Pro Gly Ile Trp Ser 305 Asp Trp Ser Thr Pro Arg Val Phe Thr Thr Gln Asp Val Ile Tyr Phe 330 Pro Pro Lys Ile Leu Thr Ser Val Gly Ser Asn Val Ser Phe His Cys 345 Ile Tyr Lys Lys Glu Asn Lys Ile Val Pro Ser Lys Glu Ile Val Trp 360 Trp Met Asn Leu Ala Glu Lys Ile Pro Gln Ser Gln Tyr Asp Val Val 370 375 Ser Asp His Val Ser Lys Val Thr Phe Phe Asn Leu Asn Glu Thr Lys 390 395 Pro Arg Gly Lys Phe Thr Tyr Asp Ala Val Tyr Cys Cys Asn Glu His 410 415 Glu Cys His His Arg Tyr Ala Glu Leu Tyr Val Ile Asp Val Asn Ile Asn Ile Ser Cys Glu Thr Asp Gly Tyr Leu Thr Lys Met Thr Cys Arg 440 Trp Ser Thr Ser Thr Ile Gln Ser Leu Ala Glu Ser Thr Leu Gln Leu 455 Arg Tyr His Arg Ser Ser Leu Tyr Cys Ser Asp Ile Pro Ser Ile His 470 Pro Ile Ser Glu Pro Lys Asp Cys Tyr Leu Gln Ser Asp Gly Phe Tyr 490 Glu Cys Ile Phe Gln Pro Ile Phe Leu Leu Ser Gly Tyr Thr Met Trp 500 Ile Arg Ile Asn His Ser Leu Gly Ser Leu Asp Ser Pro Pro Thr Cys 520 Val Leu Pro Asp Ser Val Val Lys Pro Leu Pro Pro Ser Ser Val Lys 535 Ala Glu Ile Thr Ile Asn Ile Gly Leu Leu Lys Ile Ser Trp Glu Lys 550 555 Pro Val Phe Pro Glu Asn Asn Leu Gln Phe Gln Ile Arg Tyr Gly Leu 570 Ser Gly Lys Glu Val Gln Trp Lys Met Tyr Glu Val Tyr Asp Ala Lys 585 Ser Lys Ser Val Ser Leu Pro Val Pro Asp Leu Cys Ala Val Tyr Ala Val Gln Val Arg Cys Lys Arg Leu Asp Gly Leu Gly Tyr Trp Ser Asn 615 Trp Ser Asn Pro Ala Tyr Thr Val Val Met Asp Ile Lys Val Pro Met 625 630 635

Arg Gly Pro Glu Phe Trp Arg Ile Ile Asn Gly Asp Thr Met Lys Lys Glu Lys Asn Val Thr Leu Leu Trp Lys Pro Leu Met Lys Asn Asp Ser Leu Cys Ser Val Gln Arg Tyr Val Ile Asn His His Thr Ser Cys Asn Gly Thr Trp Ser Glu Asp Val Gly Asn His Thr Lys Phe Thr Phe Leu 695 Trp Thr Glu Gln Ala His Thr Val Thr Val Leu Ala Ile Asn Ser Ile 705 710 715 Gly Ala Ser Val Ala Asn Phe Asn Leu Thr Phe Ser Trp Pro Met Ser 730 Lys Val Asn Ile Val Gln Ser Leu Ser Ala Tyr Pro Leu Asn Ser Ser 745 Cys Val Ile Val Ser Trp Ile Leu Ser Pro Ser Asp Tyr Lys Leu Met Tyr Phe Ile Ile Glu Trp Lys Asn Leu Asn Glu Asp Gly Glu Ile Lys 775 Trp Leu Arg Ile Ser Ser Ser Val Lys Lys Tyr Tyr Ile His Asp His 790 795 Phe Ile Pro Ile Glu Lys Tyr Gln Phe Ser Leu Tyr Pro Ile Phe Met Glu Gly Val Gly Lys Pro Lys Ile Ile Asn Ser Phe Thr Gln Asp Asp 825 Ile Glu Lys His Gln Ser Asp Ala Gly Leu Tyr Val Ile Val Pro Val 835 840 Ile Ile Ser Ser Ser Ile Leu Leu Leu Gly Thr Leu Leu Ile Ser His 855 Gln Arg Met Lys Lys Leu Phe Trp Glu Asp Val Pro Asn Pro Lys Asn Cys Ser Trp Ala Gln Gly Leu Asn Phe Gln Lys Pro Glu Thr Phe Glu 890 His Leu Phe Ile Lys His Thr Ala Ser Val Thr Cys Gly Pro Leu Leu Leu Glu Pro Glu Thr Ile Ser Glu Asp Ile Ser Val Asp Thr Ser Trp 920 Lys Asn Lys Asp Glu Met Met Pro Thr Thr Val Val Ser Leu Leu Ser 935 Thr Thr Asp Leu Glu Lys Gly Ser Val Cys Ile Ser Asp Gln Phe Asn 955 Ser Val Asn Phe Ser Glu Ala Glu Gly Thr Glu Val Thr Tyr Glu Ala 965 970

Glu Ser Gln Arg Gln Pro Phe Val Lys Tyr Ala Thr Leu Ile Ser Asn 980 985 990

Ser Lys Pro Ser Glu Thr Gly Glu Glu Glu Gly Leu Ile Asn Ser Ser 995 1000 1005

Val Thr Lys Cys Phe Ser Ser Lys Asn Ser Pro Leu Lys Asp Ser Phe 1010 1015 1020

Ser Asn Ser Ser Trp Glu Ile Glu Ala Gln Ala Phe Phe Ile Leu Ser 1025 1030 1035 1040

Asp Gln His Pro Asn Ile Ile Ser Pro His Leu Thr Phe Ser Glu Gly 1045 1050 1055

Leu Asp Glu Leu Leu Lys Leu Glu Gly Asn Phe Pro Glu Glu Asn Asn 1060 1065 1070

Asp Lys Lys Ser Ile Tyr Tyr Leu Gly Val Thr Ser Ile Lys Lys Arg 1075 1080 1085

Glu Ser Gly Val Leu Leu Thr Asp Lys Ser Arg Val Ser Cys Pro Phe 1090 1095 1100

Pro Ala Pro Cys Leu Phe Thr Asp Ile Arg Val Leu Gln Asp Ser Cys 1105 1110 1115 1120

Ser His Phe Val Glu Asn Asn Ile Asn Leu Gly Thr Ser Ser Lys Lys 1125 1130 1135

Thr Phe Ala Ser Tyr Met Pro Gln Phe Gln Thr Cys Ser Thr Gln Thr 1140 1145 1150

His Lys Ile Met Glu Asn Lys Met Cys Asp Leu Thr Val 1155 1160 1165